
Solving the Mysteries of the Universe with Big Data






Accelerating Science and Innovation



What is CERN

- The European Particle Physics Laboratory based in Geneva, Switzerland
 - Current accelerator: The Large Hadron Collider (LHC)
- Founded in 1954 by 12 countries for fundamental physics research in a post-war Europe
- Today, it is a global effort of 20 member countries and scientists from 110 nationalities, working on the world's most ambitious physics experiments
- ~2'300 personnel, > 10'000 users
- ~1 billion CHF yearly budget

Science is more and more global






CERN openlab

- A unique research partnership between CERN and the industry
- Objective: The
 advancement of cutting edge computing solutions
 to be used by the
 worldwide LHC
 community



WHY do we need a "CERN"?



Fundamental Physics Questions

- What is 95% of the Universe made of?
 - We only observe a fraction! What is the rest?
- Why is there no antimatter left in the Universe?
 - Nature should be symmetrical, or not?
- What was matter like during the first second of the Universe, right after the "Big Bang"?
 - A journey towards the beginning of the Universe gives us deeper insight
- Why do particles have mass?
 - Newton could not explain it the Higgs mechanism seems now to be the answer



The Large Hadron Collider (LHC), built at CERN, enables us to look at microscopic big bangs to understand the fundamental behaviour of nature



So, how do you get from this

Higgs boson-like particle discovery

COMMENTS (1665)

By Paul Rincon

Science editor, BBC News website, Geneva



The moment when Cern director Rolf Heuer confirmed the Higgs results

Cern scientists reporting from the Large Hadron Collider (LHC) have claimed the discovery of a new particle consistent with the Higgs boson.

to this



Relat

004.

Some facts about the LHC


- Biggest accelerator (largest machine) in the world
 - 27 km circumference, 9300 magnets
- Fastest racetrack on Earth
 - Protons circulate 11245 times/s (99.9999991% the speed of light)
- Emptiest place in the solar system high vacuum inside the magnets:
 - Pressure 10⁻¹³ atm (10x less than pressure on the moon)
- World's largest refrigerator (need only 1/8 of LHC magnets to qualify): -271.3 °C (1.9K)
- Hottest spot in the galaxy
 - During Lead ion collisions create temperatures 100 000x hotter than the heart of the sun; new record 5.5 Trillion K
- World's biggest and most sophisticated detectors
 - 150 Million "pixels"
- Most data of any scientific experiment
 - 15-30 PB per year (as of today we have about 60-70 PB)





Scale of ATLAS and CMS?

ATLAS superimposed to a CERN 5-storey building



ATLAS

<u>ATLAS</u>	<u>CMS</u>
7000	12500
22 m	15 m
46 m	22 m
2 T	¹⁰ / ₄ T
	7000 22 m 46 m

Some history of scale...

Date	Collaboration sizes	Data volume, archive technology
Late 1950's	2-3	Kilobits, paper notebooks
1960's	10-15	KB, punchcards
1970's	~35	MB, tape
1980's	~100	GB, tape, disk
1990's	700-800	TB, tape, disk
2010's	~3000	PB → EB, tape, disk

For comparison:

1990's: Total LEP data set ~few TB Would fit on 1 tape today


Today: 1 year of LHC data ~30 PB

CERN has about 83,000 physical disks to provide about 30 PB of reliable storage



Why do we have to produce so much data?

Collisions at the LHC: summary



Proton - Proton 2808 bunch/beam

Protons/bunch 10¹¹

Beam energy 7 TeV (7x10¹² eV)

Luminosity 10³⁴cm⁻²s⁻¹


Crossing rate 40 MHz


Collision rate ≈ 107-109

New physics rate ≈ .00001 Hz

Event selection:

1 in 10,000,000,000,000









Tier 0 at CERN: Acquisition, First pass reconstruction, Storage & Distribution **CERN Computer Centre** LHCb ~ 50 MB/sec ATLAS ~ 320 MB/sec ALICE ~ 100 MB/sec 1.25 GB/sec (ions) CMS ~ 220 MB/sec

What is this data?

- Raw data:
 - Was a detector element hit?
 - How much energy?
 - What time?
- Reconstructed data:
 - Particle type
 - Origin
 - Momentum of tracks (4-vectors)
 - Energy in clusters (jets)
 - Calibration information















LCG



The LHC Computing Challenge

Signal/Noise: 10⁻¹³ (10⁻⁹ offline)

Data volume

- High rate * large number of channels * 4 experiments
- → 15 PetaBytes of new data each year → 30 PB in 2012


Overall compute power


- Event complexity * Nb. events * thousands users
- → 200 k cores | → 300 k cores
- → 45 PB of disk storage

→ 150 PB

Worldwide analysis & funding

- Computing funding locally in major regions & countries
- Efficient analysis
- → GRID technology





So, what are our issues with Big Data?






Worldwide LHC Computing Gr

World-wide LHC Computing Grid

- A distributed computing infrastructure to provide the production and analysis environments for the LHC experiments
- Managed and operated by a worldwide collaboration between the experiments and the participating computer centres
- The resources are distributedfor funding and sociologicalreasons
- Our task was to make use of the resources available to us no matter where they are located



Tier-0 (CERN):

- Data recording
- Permanent storage
- Initial data reconstruction
- Data distribution

Tier-1 (11 centres):


- Permanent storage
- Re-processing
- Analysis

Tier-2 (~130 centres):


- Simulation
- End-user analysis



WLCG Grid Sites



Processing on the grid




Usage continues to grow...

- # jobs/day
- CPU usage


~ 150,000 years of CPU delivered each year











mpact of the LHC Computing Grid

 W-LCG has been leveraged on both sides of the Atlantic, to benefit the wider scientific community

– Europe:

- Enabling Grids for E-sciencE (EGEE) 2004-2010
- European Grid Infrastructure (EGI) 2010--
- USA:
 - Open Science Grid (OSG)
 2006-2012 (+ extension?)
- Many scientific applications ->

Archeology
Astronomy
Astrophysics
Civil Protection
Comp. Chemistry
Earth Sciences
Fusion
Geophysics
High Energy
Physics
Life Sciences
Multimedia
Material Sciences

even Finance



Back to our issues with Big Data






SHIFT architecture

(Scalable Heterogeneous Integrated Facility

 In 2001 the architecture won the 21st Century Achievement Award issued by Computerworld



Tier-0: Central Data Management

- Hierarchical Storage Management: CASTOR
 - Rich set of features:
 - Tape pools, disk pools, service classes, instances, file classes, file replication, scheduled transfers (etc.)
 - DB-centric architecture
- Disk-only storage system: E0S
 - Easy-to-use, stand-alone, disk-only for user and group data with in-memory namespace
 - Low latency (few ms for read/write open)
 - Focusing on end-user analysis with chaotic access
 - Adopting ideas from other modern file systems (Hadoop, Lustre, etc.)
 - Running on low-cost hardware (JBOD and SW RAID)



Active tapes


 Inside a huge storage hierarchy tapes may be advantageous!



We use tape storage products from multiple vendors

CASTOR current status


(end 2012)



66 petabytes across 362 million files


Big Data Analytics


- Huge quantity of data collected, but most of events are simply reflecting well-known physics processes
 - New physics effects expected in a tiny fraction of the total events:
 - "The needle in the haystack"
- Crucial to have a good discrimination between interesting events and the rest, i.e. different species
 - Complex data analysis techniques play a crucial role



ROOT Object-Oriented toolkit


- Data Analysis toolkit
 - Written in C++ (millions of lines)
 - Open source
 - Integrated interpreter
 - Multiple file formats
 - I/O handling, graphics, plotting, math, histogram binning, event display, geometric navigation
 - Powerful fitting (RooFit) and statistical (RooStats) packages on top
 - In use by all our collaborations






RooFit/RooStats


- Standard tool for producing physics results at LHC
 - Parameter estimation (fitting)
 - Interval estimation (e.g limit results for new particle searches)
 - Discovery significance (quantifying excess of events)
- Implementation of several statistical methods (Bayesian, Frequentist, Asymptotic)
- New tools added for model creation and combinations





ROOT files

- Default format for all our data
- Organised as Trees with Branches
 - Sophisticated formatting for optimal analysis of data
 - Parallelism, prefetching and caching
 - Compression, splitting and merging



Big Data at CERN

All of this needs to be covered!





Conclusions

- Big Data Management and Analytics require a solid organisational structure at all levels
- Must avoid "Big Headaches"
 - Enormous file sizes and/or enormous file counts
 - Data movement, placement, access pattern, life cycle
 - Replicas, Backup copies, etc.
- Big Data also implies Big Transactions/Transaction rates
- Corporate culture: our community started preparing more than a decade before real physics data arrived
 - Now, the situation is well under control
 - But, data rates will continue to increase (dramatically) for years to come: Big Data in the size of Exabytes!

References and credits

- http://www.cern.ch/
- http://wlcg.web.cern.ch/
- http://root.cern.ch/
- http://eos.cern.ch/
- http://castor.cern.ch/
- http://panda.cern.ch/
- http://www.atlas.ch/

I am indebted to several of my colleagues at CERN for this material, in particular:
Ian Bird, WLCG project Leader
Alberto Pace, Manager of the Data
Services Group at CERN and the members of his group

Q&A




Backup

CERN: The Mecca of the Particle Physics Community



... bringing the world together





ATLAS User Analysis

