Oracle Advanced Compression Tests

Svetozar Kapusta 24th of October 2009







- Expected data growth is roughly ≈20-30 TB per year per experiment
- Experiments need to have all data available at any time
 - During the experiments lifetimes (10-15 years)
 - Few extra years, as the data analysis will continue
- We have to provide an efficient way of storing and accessing the few Peta bytes of mostly read-only data
- Answer to our challenge is the compression available in 11G2 and Exadata2




Advanced Compression Tests

- Exadata2 located in Reading, UK
 - Half rack with 7 storage cells each of 12 disks each
 - Accessed remotely from Geneva for 2 weeks
- Data used
 - The largest and representative production and test tables
 - Exported compressed using Datapump
 - Imported into Exadata2 using Datapump
- Applications
 - PVSS (slow control system used by the experiments)
 - GRID monitoring application
 - GRID Test data
 - File transfer applications (PANDA)
 - Logging application for ATLAS
- First results the same day

openlab

Compression factors for various compression types of various physics applications



PVSS columns: 6 number, 4 TS(9), 5 varchar2, 3 binary_double


LCG GRID Monitoring columns: 5 number

LCG TESTDATA columns: 6 number(38), 1 varchar2, 1 CLOB

ATLAS PANDA FILESTABLE columns: 3 number, 12 varchar2, 2 date, 2 char



Table creation times for various compression types of various physics applications. Normalized to no compression.




LCG GRID monitoring columns: 5 number

LCG TESTDATA columns: 6 number(38), 1 varchar2, 1 CLOB

ATLAS PANDA FILESTABLE columns: 3 number, 12 varchar2, 2 date, 2 char



Full table scans performance for various compression types of various physics applications. Normalized to no compression.




LCG TESTDATA columns: 6 number(38), 1 varchar2, 1 CLOB

ATLAS PANDA FILESTABLE columns: 3 number, 12 varchar2, 2 date, 2 char



Full table scans performance for various compression types of various physics applications. Normalized to no compression. Exadata offloading set to false.




LCG TESTDATA columns: 6 number(38), 1 varchar2, 1 CLOB

ATLAS PANDA FILESTABLE columns: 3 number, 12 varchar2, 2 date, 2 char



Exadata2 offloading

Full table scans performance for various compression types of ATLAS logging application with and without Exadata offloading



Please note the logarithmic scale



Export Datapump Compression

- Compression factor for PVSS data
 - Export Datapump ≈9X
 - tar bzip2 utility
 - ≈11X on non compressed exported PVSS data
 - ≈1.2X on the compressed exported PVSS data

- Compression factor for LCG application
 - Export Datapump ≈13X
 - tar bzip2 utility
 - ≈9X on non compressed exported LCG data
 - ≈1.2X on the compressed exported LCG data

Conclusions



- Tested basic, OLTP and hybrid columnar compression and Datapump compression
- The results for data from physics applications are rather impressing (2-6X OLTP, 10-70X EHCC archive high)
- EHCC can achieve up to ≈3X better compression than tar bzip2 compression of the same data exported uncompressed
- Oracle Compression offers a win-win solution, especially for OLTP
 - Shrinks used storage volume
 - Improves performance



Thank you for your attention



Backup

